TECHNICAL DATA SHEET



Name Code

61119N S1 SRC **GAMMA NEOS S1**

Standard

Weight **Packaging Product Range** Size range Mondopoint 545 grams S1 SRC 20345:2011 35 <> 50 10,5 10 pairs/carton (1 shoe in size 42) (same size)

EN ISO



TECHNICAL SPECIFICATIONS

SLIP RESISTANCE GLYCERINE



















Measurement Unit

SOLE

LADDER GRAB

SOLE FEATURES












FOOTBED




PROTECTIVE ELEMENTS



Heat-treated and epoxy-coated safety toe cap withstands impacts up to 200 Joules and compressions up to 15 kN. Stainless steel fibers increase durability and beveled edges enhance comfort

BARTON

UPPER





LINING

featuring a microchannel network for unparalleled breathability and antimicrobial properties to prevent odors and microorganism growth.



SANITIZED®

removable insole with SANITIZED® technology ensuring hygiene and a fresh feeling all day.



Requirement



Test Result









SAFETY TECHNICAL SPECIFICATIONS

Description

Description	Measurement out	nequirement	rest nesuit
TOE CAP: Impact resistance	mm	≥ 14	18
TOE CAP: Compression resistance	mm	≥ 14	20,5
ANTI-PUNCTURE PLATE: Penetration resistance	N	≥ 1.100	-
FOOTWEAR: Antistatic properties (in wet condition)	МΩ	≥ 0,1	4,7
FOOTWEAR: Antistatic properties (in dry condition)	МΩ	≤ 1.000	111
UPPER: Water vapour permeability	mg/cm2*h	≥ 0,8	2,5
UPPER: Water vapour coefficient	mg/cm2	≥ 15	27
UPPER: Water penetration after 60 min	g	≤ 0,2	-
UPPER: Water absorption after 60 min	%	≤ 30	-
INTERNAL LINING: Water vapour permeability	mg/(cm2*h)	≥ 2,0	130,7
INTERNAL LINING: Water vapour coefficient	mg/cm2	≥ 20	1045,8
OUTSOLE: Abrasion resistance	mm3	≤ 150	62
OUTSOLE: Energy absorption of seat region (E)	J	≥ 20	40
OUTSOLE: Flexural resistance	mm	≤ 4	0
OUTSOLE: Interlayer bond strength	N/mm	≥ 4	6,3
OUTSOLE: Resistance to fuel oil (FO)	%	≤ 12	3,9

ADDITIONAL FEATURES

Measurement Unit MA	Requirement ≤ 1,00 autsoles shall not melt and develop any cracks when bent	Results -
mA -	autsoles shall not melt and	-
-		-
°C	≤ 10	-
°C	≤ 22	-
cm2	after 80 min.	-
MΩ	≤ 100	-

SOLE DESIGN AND PERFORMANCE



ENERGY ABSORPTION COEFFICIENT IN THE HEEL AREA

MINIMUM VALUE REQUIRED 20 TEST RESULT **75%**

INDUSTRIES

































STORAGE, CARE AND MAINTENANCE

- PANDA SAFETY footwear should be stored in original packaging, storage temperature should not exceed 35°C, humidity should be less than 80% and without the influence of direct sunlight.
- Sandals, shoes and boots should be cleaned after each use; dry off the shoes, not in proximity to or in direct contact with stoves or other sources of heat. • Carry out the periodic treatment of the uppers with suitable products containing wax, grease, silicone, etc.
- Avoid contact with aggressive chemicals and extreme temperatures.
- Verify the good state before each use.

