TECHNICAL DATA SHEET



Name Code

6911N S1 SRC **ALFA NEOS S1**

EN ISO Standard Weight **Packaging Product Range** Size range Mondopoint S1 SRC 20345:2011 530 grams 35 <> 50 10,5 10 pairs/carton (1 shoe in size 42) (same size)



TECHNICAL SPECIFICATIONS





SLIP RESISTANCE GLYCERINE















Measurement Unit

SOLE

LADDER GRAB

SOLE FEATURES













PROTECTIVE ELEMENTS



DOUBLE FORMULA® soles feature a morphoanatomical design, blending light, flexible PU foam midsoles with durable, grippy outsoles made of

> Heat-treated and epoxy-coated safety toe cap withstands impacts up to 200 Joules and compressions up to 15 kN. Stainless steel fibers increase durability and beveled edges enhance comfort.

UPPER



Three-layer wear-resistant lining featuring a microchannel network for unparalleled breathability and finish, specially tanned for flexibility, durability, and adaptability in antimicrobial properties to prevent any work environment. odors and microorganism growth.

LINING



FOOTBED

Antistatic and anti-odour removable insole with SANITIZED® technology ensuring hygiene and a fresh feeling all day.

EXTRA

Requirement



Test Result







SAFETY TECHNICAL SPECIFICATIONS

Description

2 compliant	moadaroment omt	rioquii oiliolii	10011100411
TOE CAP: Impact resistance	mm	≥ 14	18,5
TOE CAP: Compression resistance	mm	≥ 14	19,5
ANTI-PUNCTURE PLATE: Penetration resistance	N	≥ 1.100	-
FOOTWEAR: Antistatic properties (in wet condition)	ΜΩ	≥ 0,1	4,7
FOOTWEAR: Antistatic properties (in dry condition)	МΩ	≤ 1.000	111
UPPER: Water vapour permeability	mg/cm2*h	≥ 0,8	2,5
UPPER: Water vapour coefficient	mg/cm2	≥ 15	27
UPPER: Water penetration after 60 min	g	≤ 0,2	-
UPPER: Water absorption after 60 min	%	≤ 30	-
INTERNAL LINING: Water vapour permeability	mg/(cm2*h)	≥ 2,0	130,7
INTERNAL LINING: Water vapour coefficient	mg/cm2	≥ 20	1045,8
OUTSOLE: Abrasion resistance	mm3	≤ 150	62
OUTSOLE: Energy absorption of seat region (E)	J	≥ 20	40
OUTSOLE: Flexural resistance	mm	≤ 4	0
OUTSOLE: Interlayer bond strength	N/mm	≥ 4	6,3
OUTSOLE: Resistance to fuel oil (FO)	%	≤ 12	3,9

ADDITIONAL FEATURES

Measurement Unit	Requirement	Results
mA	≤ 1,00	-
-	autsoles shall not melt and develop any cracks when bent	-
°C	≤ 10	-
°C	≤ 22	-
cm2	after 80 min.	-
MΩ	≤ 100	-
	mA - °C °C cm2	mA ≤ 1,00 - autsoles shall not melt and develop any cracks when bent °C ≤ 10 °C ≤ 22 cm2 after 80 min.

SOLE DESIGN AND PERFORMANCE



ENERGY ABSORPTION COEFFICIENT IN THE HEEL AREA

MINIMUM VALUE REQUIRED 20 TEST RESULT **75%**

INDUSTRIES

















STORAGE, CARE AND MAINTENANCE

- PANDA SAFETY footwear should be stored in original packaging, storage temperature should not exceed 35°C, humidity should be less than 80% and without the influence of direct sunlight.
- Sandals, shoes and boots should be cleaned after each use; dry off the shoes, not in proximity to or in direct contact with stoves or other sources of heat. • Carry out the periodic treatment of the uppers with suitable products containing wax, grease, silicone, etc.
- Avoid contact with aggressive chemicals and extreme temperatures.
- Verify the good state before each use.

